From: Charlie Keegan [c.keegan@erllc.com]
Sent: 12/6/2019 10:54:56 AM
To: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: CWM Emelle Bid Response for Pile #1 BEFORE DISCOVERY OF UHC'S
Attachments: Charlie Keegan.vcf; CWM Bid Response BEFORE DISCOVERY OF UHC - (TD PCB-D006-D008 Area 01).pdf; COC 06 (M-comp)(Area 01)(3054954).pdf

Chris,
Good morning. Please see attached document from CWM for disposal of Pile 1 waste before discovery of the UHC's. I highlighted there conditions on their offer for accepting this waste.
As we were discussing they are limited to 500 ppm HOC's for RCRA/TSCA. That is why they offered value engineering in one of their comments. I attached our disposal analysis that went out with RFQ to reference. Our PCB was 590 ppm which exceeds the 500 ppm HOC limit Emelle has and that is why they offered value engineering and also a cost for disposal by incineration.
The CWM contact who submitted the offer and who I have been discussing our situation with is John Rhyne 404-402-5732. Feel free to give John a call also.

Have a good day and I'll talk to you later.

Charlie Keegan
Environmental Restoration, LLC
Response Manager
c.keegan@erllc.com
Mobile (609) 304-2296
Fax (636) 680-2545
Shiloh Church Road Site
17060 L.P. Bailey Memorial Highway
Nathalie, VA 24577
www.erllc.com